

# AGAVE



Bright, Indirect



1x a month, allow soil to dry



Low Humidity



Toxic

# AGLAONEMA



Low-Medium, Indirect



1x a week, allow soil to dry



Basic Humidity



Toxic

# ALOCASIA



Bright, Indirect



1x a week



Basic- High Humidity



Highly Toxic

# ALOE



Bright, Indirect



1x a week, allow soil to dry



Low Humidity



Toxic

# ASPARAGUS FERN



Bright, Indirect



1x a week, allow soil to dry



Low-Basic Humidity



Toxic

# BEGONIA



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Toxic

# BIRD OF PARADISE

---



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Toxic

# BIRD'S NEST FERN



Medium, Indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic



# CACTUS



Bright, Indirect



1x a month, allow soil to dry



Low Humidity



Non-Toxic

# CALADIUM



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Highly Toxic

# CALATHEA



Medium- Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic

# CHRISTMAS CACTUS

---



Medium- Bright, Indirect



1x a month, allow soil to dry



Basic Humidity



Non-Toxic

# CORDYLINE



Bright, Indirect



1-2x a week, keep soil moist



Basic Humidity



Non-Toxic

# CROTON



Bright, Indirect



1x a week, allow soil to dry



High Humidity



Highly Toxic

# CYCLAMEN



Bright, Indirect



1x a week, allow soil to dry



High Humidity



Highly Toxic

\*Tip\* Cyclamen leaves do not like to be wet, try to keep them dry by bottom-watering!

# DIEFFENBACHIA



Medium, Indirect



1x a week, allow soil to dry



High Humidity



Highly Toxic



# DONKEY'S TAIL



Bright, Indirect



1x a month, allow soil to dry



Basic Humidity



Non-Toxic

\*Tip\* Place fallen leaves back into the soil, they will root and make the plant fuller!

# DRACAENA



Medium-Bright, Indirect



2x a month, allow soil to dry



Basic-High Humidity



Toxic

# ECHEVERIA



Bright, Indirect



1x a month, allow soil to dry



Low-High Humidity



Non-Toxic

# ENGLISH IVY



Bright, Indirect



1x a week, allow soil to dry



Basic-High Humidity



Highly Toxic

\*Tip\* Crispy leaves actually indicate overwatering rather than underwatering for this plant!

# FICUS



Bright, Indirect



1x a week, allow soil to dry



Basic-High Humidity



Highly Toxic

# FICUS BENJAMINA

---



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Highly Toxic

# FIRESTICK



Bright, Indirect (some direct)



1-2x a month, allow soil to dry



Low-Basic Humidity



Highly Toxic

# HOYA



Bright, Indirect



1-2x a month, allow soil to dry



Basic Humidity



Non-Toxic

\*Tip\*: The hard leaves become soft and flexible when the plant needs water!



# JADE



Bright, Indirect



1x a month, allow soil to dry



Low-Basic Humidity



Highly Toxic

# LIPSTICK PLANT



Bright, Indirect



1x a week



High Humidity



Non-Toxic

# MARANTA



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic

# MONEY TREE



Medium-Bright, Indirect



1x a week



Basic Humidity



Non-Toxic

# MONSTERA



Medium-Bright, Indirect



1x a week



Basic-High Humidity



Toxic

# NORFOLK PINE



Bright, Indirect (some direct)



1x a week, allow soil to dry



High Humidity



Non-Toxic

# PEACE LILY



Medium-Bright, Indirect



1x a week, allow soil to dry



High Humidity



Highly Toxic

# PEPEROMIA



Bright, Indirect



1x a week, allow soil to dry



Basic-High Humidity



Non-Toxic



# PHILODENDRON



Any light, avoid direct sun



1x a week, allow soil to dry



Basic-High Humidity



Non-Toxic

# PILEA PEPERMOIDES



Bright, Indirect



1x a week, allow soil to dry



High Humidity



Non-Toxic

\*Tip\*: Separate the offshoots at the root and repot into another pot. This will grow into a whole new plant!

# POLKA DOT PLANT

---



Bright, Indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic

# PONYTAIL PALM



Bright, Indirect



1x a week, allow soil to dry



Low Humidity



Non-Toxic

# POTHOS



Low-Bright, Indirect



1x a week, allow soil to dry



Basic Humidity



Toxic

\*Tip\*: Black leaves indicate overwatering, while yellow leaves indicate underwatering!

# SAGO PALM



Bright, Indirect



1-2x a month, allow soil to dry



High Humidity



Highly Toxic

# SNAKE PLANT



Any light, avoid direct sun



1-2x a month, allow soil to dry



Low-Basic Humidity



Toxic

# UMBRELLA TREE



Bright, indirect



1x a week



Basic-High Humidity



Toxic



# SHAMROCK



Bright, indirect



1x a week, allow soil to dry



Basic Humidity



Toxic

\*Tip\*: Try bottom-watering so the fragile stems don't get weighed down!

# SPIDER PLANT



Bright, indirect



1x a week, allow soil to dry



Basic-High Humidity



Non-Toxic

\*Tip\*: The green color starts to fade when the plant needs water!

# SWISS CHEESE PLANT



Medium-Bright, indirect



1x a week, allow soil to dry



Basic-High Humidity



Toxic

# STAGHORN FERN



Bright, indirect



1x a week, allow soil to dry



High Humidity



Non-Toxic

# STRING OF HEARTS

---



Bright, indirect



1-2x a month, allow soil to dry



Low-Basic Humidity



Non-Toxic

# STROMANTHE



Bright, indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic

# TRADESCANTIA



Bright, indirect



1x a week, allow soil to dry



Basic-High Humidity



Toxic

# VENUS FLY TRAP



Bright, indirect



1-2x a week, keep soil moist



High Humidity



Non-Toxic

Tip!: Try to resist touching the plant's "jaws". It takes energy away from the rest of the plant when they close!



# YUCCA



Bright, indirect



1-2x a month, allow soil to dry



Low-Basic Humidity



Toxic

# ZZ



Any light, avoid direct sun



1-2x a month, allow soil to dry



Basic Humidity



Highly Toxic



# PLANT CARE

Plant name: \_\_\_\_\_

